L Number	Hits	Search Text	DB	Time stamp
1	2415	(fail$6 or fault$6 or error$6 or problem or dirty or defect$6 or malfunct$4) adj3 memory adj3 address$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:50
2	2	transparent adj memory adj error$4 adj (correct$4 or fix$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:26
3	2617	(fail$6 or fault$6 or error$6 or problem or dirty or defect$6 or malfunct$4) adj3 (storage$1 or memory) adj3 address$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:24
4	4	transparent adj (storage$1 or memory) with (error$4 adj (correct$4 or fix$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:28
5	2	disabl$6 same (transparent adj (storage$1 or memory) with (error$4 adj (correct$4 or fix$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:44
6	62	physical adj memory adj module$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:47
7	124088	(test$6 or diagnos$6 or analyz$4 or analis$4) with (memory or storage$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:49
8	875	transparent with (fail$6 or fault$6 or error$6 or problem or dirty or defect$6 or malfunct$4) with correct$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:51
9	3	((test$6 or diagnos$6 or analyz$4 or analis$4) with (memory or storage$)) with (transparent with (fail$6 or fault$6 or error$6 or problem or dirty or defect$6 or malfunct$4) with correct$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:51
10	2	(((test$6 or diagnos$6 or analyz$4 or analis$4) with (memory or storage$)) with (transparent with (fail$6 or fault$6 or error$6 or problem or dirty or defect$6 or malfunct$4) with correct$6)) with disabl$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:52

11	918	error$6 with correct$6 with disabl$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:52
12	12	(error$6 with correct$6 with disabl$6) with ((test$6 or diagnos$6 or analyz$4 or analis$4) with (memory or storage$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:54
13	1	((error$6 with correct$6 with disabl$6) with ((test$6 or diagnos$6 or analyz$4 or analis$4) with (memory or storage$))) with ((fail$6 or fault$6 or error$6 or problem or dirty or defect$6 or malfunct$4) adj3 memory adj3 address$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:53
14	3	((error$6 with correct$6 with disabl$6) with ((test$6 or diagnos$6 or analyz$4 or analis$4) with (memory or storage$))) same ((fail$6 or fault$6 or error$6 or problem or dirty or defect$6 or malfunct$4) adj3 memory adj3 address$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:53
16	82	(error$6 with correct$6 with disabl$6) and ((test$6 or diagnos$6 or analyz$4 or analis$4) with (memory or storage$)) and (71$/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:00
18	1	((error$6 with correct$6 with disabl$6) and ((test$6 or diagnos$6 or analyz$4 or analis$4) with (memory or storage$)) and (71$/$.ccls.)) and (physical adj memory adj module$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:55
17	8	((error$6 with correct$6 with disabl$6) and ((test$6 or diagnos$6 or analyz$4 or analis$4) with (memory or storage$)) and (71$/$.ccls.)) and ((fail$6 or fault$6 or error$6 or problem or dirty or defect$6 or malfunct$4) adj3 (storage$1 or memory) adj3 address$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:58
15	17	(error$6 with correct$6 with disabl$6) same ((test$6 or diagnos$6 or analyz$4 or analis$4) with (memory or storage$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:59
19	14	((error$6 with correct$6 with disabl$6) same ((test$6 or diagnos$6 or analyz$4 or analis$4) with (memory or storage$))) not (((error$6 with correct$6 with disabl$6) and ((test$6 or diagnos$6 or analyz$4 or analis$4) with (memory or storage$)) and (71$/$.ccls.)) and ((fail$6 or fault$6 or error$6 or problem or dirty or defect$6 or malfunct$4) adj3 (storage$1 or memory) adj3 address$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 12:59

20	9	(((error$6 with correct$6 with disabl$6) same ((test$6 or diagnos$6 or analyz$4 or analis$4) with (memory or storage$))) not (((error$6 with correct$6 with disabl$6) and ((test$6 or diagnos$6 or analyz$4 or analis$4) with (memory or storage$)) and (71$/$.ccls.)) and ((fail$6 or fault$6 or error$6 or problem or dirty or defect$6 or malfunct$4) adj3 (storage$1 or memory) adj3 address$4))) and (7$/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:01
21	1	(((error$6 with correct$6 with disabl$6) same ((test$6 or diagnos$6 or analyz$4 or analis$4) with (memory or storage$))) not (((error$6 with correct$6 with disabl$6) and ((test$6 or diagnos$6 or analyz$4 or analis$4) with (memory or storage$)) and (71$/$.ccls.)) and ((fail$6 or fault$6 or error$6 or problem or dirty or defect$6 or malfunct$4) adj3 (storage$1 or memory) adj3 address$4))) and (36$/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:01
22	4	((error$6 with correct$6 with disabl$6) and ((test$6 or diagnos$6 or analyz$4 or analis$4) with (memory or storage$)) and (71$/$.ccls.)) and (36$/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:01
23	82	((error$6 with correct$6 with disabl$6) and ((test$6 or diagnos$6 or analyz$4 or analis$4) with (memory or storage$)) and (71$/$.ccls.)) and (7$/$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:02
24	8	(((error$6 with correct$6 with disabl$6) and ((test$6 or diagnos$6 or analyz$4 or analis$4) with (memory or storage$)) and (71$/$.ccls.)) and (7$/$.ccls.)) and ((fail$6 or fault$6 or error$6 or problem or dirty or defect$6 or malfunct$4) adj3 memory adj3 address$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:02
25	82	(((error$6 with correct$6 with disabl$6) and ((test$6 or diagnos$6 or analyz$4 or analis$4) with (memory or storage$)) and (71$/$.ccls.)) and (7$/$.ccls.)) and ((test$6 or diagnos$6 or analyz$4 or analis$4) with (memory or storage$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:03
26	6	(((error$6 with correct$6 with disabl$6) and ((test$6 or diagnos$6 or analyz$4 or analis$4) with (memory or storage$)) and (71$/$.ccls.)) and (7$/$.ccls.)) and (transparent with (fail$6 or fault$6 or error$6 or problem or dirty or defect$6 or malfunct$4) with correct$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:18

27	3219	correct$6 with (check$6 adj2 error$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:31
28	103	(correct$6 with (check$6 adj2 error$4)) with processor$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:20
29	2848	processor adj1 state$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:21
30	2	((correct$6 with (check$6 adj2 error$4)) with processor$) same (processor adj1 state$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:24
31	4	((correct$6 with (check$6 adj2 error$4)) with processor$) and (processor adj1 state$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:35
32	2905	(transfer$4 or send$6) same control$6 same (processor$4 near2 instruction$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:28
33	164551	correct$6 near5 (error$4 or fault$4 or problem4 or fail$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:32
35	681	(restor$4 or gett$4-back or return$4 or recover$4) with (processor adj2 state$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:37
36	2	(((transfer$4 or send$6) same control$6 same (processor$4 near2 instruction$1)) same (correct$6 near5 (error$4 or fault$4 or problem4 or fail$4))) same ((restor$4 or gett$4-back or return$4 or recover$4) with (processor adj2 state$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:37
37	2	(((transfer$4 or send$6) same control$6 same (processor$4 near2 instruction$1)) same (correct$6 near5 (error$4 or fault$4 or problem4 or fail$4))) and ((restor$4 or gett$4-back or return$4 or recover$4) with (processor adj2 state$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:40

38	2	((restor$4 or gett$4-back or return$4 or recover$4) with (processor adj2 state$)) same (correct$6 with (check$6 adj2 error$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:40
39	15	((restor$4 or gett$4-back or return$4 or recover$4) with (processor adj2 state$)) and (correct$6 with (check$6 adj2 error$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:40
34	15	((transfer$4 or send$6) same control$6 same (processor$4 near2 instruction$1)) same (correct$6 near5 (error$4 or fault$4 or problem4 or fail$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:46
40	13	(((restor$4 or gett$4-back or return$4 or recover$4) with (processor adj2 state$)) and (correct$6 with (check$6 adj2 error$4))) not (((transfer$4 or send$6) same control$6 same (processor$4 near2 instruction$1)) same (correct$6 near5 (error$4 or fault$4 or problem4 or fail$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/30 13:46